

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3757	((342/65) or (342/176) or (342/179) or (342/181) or (342/182) or (342/183) or (342/197) or (342/120) or (342/121) or (342/122) or (342/123) or (340/955) or (340/945) or (340/970) or (701/4)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/28 11:29
L2	3641	((342/176) or (342/179) or (342/181) or (342/182) or (342/183) or (342/197) or (342/120) or (342/121) or (342/122) or (342/123) or (340/955) or (340/945) or (340/970) or (701/4)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/28 11:29
L3	3757	1 or 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/28 11:29
L4	1388	3 and @ad<="20011011"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/28 11:30
L5	182350	aircraft	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/28 11:30
L6	1108040	height or altitude or altimeter or altimetric or altimetry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/28 11:30
L7	29543	L5 and L6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/28 11:30
L8	1063615	terrain or ground	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/28 11:30

L9	13343	L7 and L8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/28 11:30
L10	183055	display same (color or colored or coloring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/28 11:30
L11	941	L9 and L10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/28 11:30
L12	1112313	red or yellow or green or black	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/28 11:30
L13	494	L11 and L12 and @ad<="20011011"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/28 11:30
L14	661	L11 and L12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/28 11:31
L15	3641	((342/176) or (342/179) or (342/181) or (342/182) or (342/183) or (342/197) or (342/120) or (342/121) or (342/122) or (342/123) or (340/955) or (340/945) or (340/970) or (701/4)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/28 11:31
L16	70	L14 and L15 and @ad<="20011011"	US-PGPUB; USPAT	OR	ON	2004/11/28 11:31
L17	2	((("6489916") or ("6683556"))).PN.	US-PGPUB; USPAT	OR	OFF	2004/11/28 11:32

SERIAL NUMBER 10300167

EAST: search history attached

FROM IEEE

Search terms: aircraft <and> display <and> (height <or> altitude)

- 1 Simulation evaluation of a low-altitude helicopter flight guidance system adapted for a helmet-mounted display
Swenson, H.N.; Zelenka, R.E.; Hardy, G.H.; Dearing, M.G.;
Digital Avionics Systems Conference, 1991. Proceedings., IEEE/AIAA 10th , 14-17 Oct 1991
Page(s): 115 -124
- 2 Flight test on GPS navigation performance using low cost GPS navigation system
Koremura, K.;
Position Location and Navigation Symposium, 1992. Record. '500 Years After Columbus - Navigation Challenges of Tomorrow'. IEEE PLANS '92., IEEE , 23-27 Mar 1992
Page(s): 217
- 3 Simulation development of a forward sensor-enhanced low-altitude guidance system
Zelenka, R.E.; Swenson, H.N.; Dearing, M.G.; Hardy, G.H.;
Digital Avionics Systems Conference, 1993. 12th DASC., AIAA/IEEE , 25-28 Oct 1993
Page(s): 267 -275
- 4 Implementation of an LCD headup pilot display
Welch, E.; Owens, J.K.; Lin, C.;
Southeastcon '91., IEEE Proceedings of , 7-10 Apr 1991
Page(s): 273 -276 vol.1
- 5 Pilots' spatial mental models for memory of heading and altitude
Delzell, S.; Johnson, W.W.; Min-Ju Liao;
Digital Avionics Systems Conference, 1998. Proceedings., 17th DASC. The AIAA/IEEE/SAE , Volume: 1 , 31 Oct-7 Nov 1998
Page(s): E34/1 -E34/8 vol.1
- 6 Experimental study of helmet-mounted display symbology for terrain avoidance during low-level maneuvers
Taylor, J.B.; Kuchar, J.K.;
Digital Avionics Systems Conference, 1998. Proceedings., 17th DASC. The AIAA/IEEE/SAE , Volume: 1 , 31 Oct-7 Nov 1998
Page(s): E41/1 -E41/8 vol.1
- 7 Head-up display symbology for ground collision avoidance
Billingsley, G.O.; Kuchar, J.K.; Jacobson, S.W.;
Digital Avionics Systems Conference, 1999. Proceedings. 18th , Volume: 1/17 pp. vol.1 , Nov 1999
Page(s): 4.D.1-1 -4.D.1-8 vol.1
- 8 Informed consent in distributed cognitive systems: The role of conflict type, time pressure, and trust [aircraft pilots]
Olson, W.A.; Sarter, N.B.;
Digital Avionics Systems Conference, 1999. Proceedings. 18th , Volume: 1/17 pp. vol.1 , Nov 1999
Page(s): 4.B.1-1 -4.B.1-6 vol.1
- 9 Instrument meteorological conditions (IMC) certification of the MH-60S helicopter common cockpit
McConvey, W.; Riser, B.;
Aerospace Conference Proceedings, 2002. IEEE , Volume: 5 , 2002
Page(s): 5-2511 -5-2525 vol.5
- 10 Visual field information in low-altitude visual flight by line-of-sight slaved helmet-mounted displays
Grunwald, A.J.; Kohn, S.;
Systems, Man and Cybernetics, IEEE Transactions on , Volume: 24 Issue: 1 , Jan 1994
Page(s): 120 -134

11 DGPS-based aircraft flight guidance/test system

Huamin Jia; Xiaomu Dou; Jianping Yuan;

IEEE Aerospace and Electronics Systems Magazine , Volume: 11 Issue: 7 , Jul 1996

Page(s): 23 -26

"Advanced Reference System cockpit display project", Fix, E.L.; Marshak, W.P.; Burnside, D.; Aerospace and Electronics Conference, 1990. NAECO Proceedings of the IEEE 1990 National , 21-25 May 1990 Page(s): 338 -342 vol.1

13 Optimum cruise profiles in the presence of winds

Liden, S.;

Digital Avionics Systems Conference, 1992. Proceedings., IEEE/AIAA 11th , 5-8 Oct 1992

Page(s): 254 -261

14 MD-11 automatic flight system

Devlin, B.T.; Girts, R.D.;

Digital Avionics Systems Conference, 1992. Proceedings., IEEE/AIAA 11th , 5-8 Oct 1992

Page(s): 174 -177

15 Partial discharge testing of HV wiring harness for airborne displays

Horwath, J.; Schweickart, D.; Rhoads, G.; Fuchs, S.; Bapu, P.; Dunbar, W.;

Electrical Insulation and Dielectric Phenomena, 1994. IEEE 1994 Annual Report, Conference on , 23-26 Oct 1994

Page(s): 149 -154

16 An approximate optimal ballistic intercept guidance law

Dougherty, J.J.; Speyer, J.L.;

Decision and Control, 1994., Proceedings of the 33rd IEEE Conference on , Volume: 4 , 14-16 Dec 1994

Page(s): 3871 -3876 vol.4

17 GPS-squitter low-altitude air surveillance in the Gulf of Mexico

Boisvert, R.E.; Bussolari, S.R.; Knittel, G.H.; Owen, M.R.; Saunders, K.W.;

Digital Avionics Systems Conference, 1995., 14th DASC , 5-9 Nov 1995

Page(s): 39 -44

18 APES: the approach plate expert system

Moore, F.W.; Garcia, O.N.; Cavallaro, J.J.; Toms, M.L.;

Aerospace and Electronics Conference, 1996. NAECON 1996., Proceedings of the IEEE 1996 National , Volume: 2 , 20-23 May 1996

Page(s): 459 -466 vol.2

19 Synthetic attitude and heading reference for Saab Gripen

Lundberg, M.; Nordlund, P.-J.; Stahl-Gunnarsson, K.;

Decision and Control, 2000. Proceedings of the 39th IEEE Conference on , Volume: 3 , 2000

Page(s): 2040 -2043 vol.3

20 An auxiliary communication loop for air transport surveillance using

GSM/GPRS

Lin, C.E.; Li, C.-C.;

Digital Avionics Systems, 2001. DASC. The 20th Conference , Volume: 2 , Oct 2001

Page(s): 7C5/1 -7C5/11 vol.2

"Realtime storm surge measurement with a scanning radar altimeter", Wright, C.W.; Walsh, E.J.; Krabill, W.B.; Vandemark, D.; Garcia, A.W.; Black, P.G.; Marks, F.D., Jr.; Luetlich, R.A., Jr.; IGARSS, 2002, Vol: 3 , 2002 Pg: 1492 -1495.

22 Winging it [Free Flight, air traffic control]

Bretz, E.A.;

IEEE Spectrum , Volume: 38 Issue: 1 , Jan 2001

Page(s): 97 -99

23 Some Observations of Satellite/Aircraft Multipath Properties at 1600 MHz

Karp, S.;

Communications, IEEE Transactions on [legacy, pre - 1988] , Volume: 22 Issue: 10 , Oct 1974

Page(s): 1720 -1722

24 Design of a multi-channel true flat fluorescent lamp for avionic AM-LCD backlighting
Anandan, M.; Ketchum, D.; Edlinger, H.; Kirker, R.; Carr, W.;
Electron Devices, IEEE Transactions on , Volume: 41 Issue: 4 , Apr 1994
Page(s): 504 -510

25 Virtually conquering fear of flying
Hodges, L.F.; Watson, B.A.; Kessler, G.D.; Rothbaum, B.O.; Opdyke, D.;
Computer Graphics and Applications, IEEE , Volume: 16 Issue: 6 , Nov 1996
Page(s): 42 -49

26 Discrete range clustering using Monte Carlo methods
Chatterji, G.B.; Sridhar, B.;
Systems, Man and Cybernetics, Part A, IEEE Transactions on , Volume: 26 Issue: 6 ,
Nov 1996
Page(s): 832 -837